

2.2

2 Organic Standards

2.2 NEAT Standards

241-252





Product Analysis Certificate

Page 1 of 1

Art. Nr. : CL46.1391

Lot Nr. : 26.5782901

Methyl isobutyl ketone (MIBK), GC reference standard
99+% C₆H₁₂O

Use: For laboratory use, GC reference standard

Traceability: Reference standards

Specifications

| | Spec. value | Batch value |
|---------------------------|------------------------------|--------------------|
| Assay | Assay : 99.0-100% | 99,8 %w/w |
| Purity GC/FID | Purity GC/FID : 99.0-100% | 99,8% (GC Area) |
| Purity GC/MSD | Purity GC/MSD : 99.0-100% | 99,7% (GC Area) |
| Water | H ₂ O : 0-0.1% ww | 0,1% w/w |
| Residue after Evaporation | Res. Evap. : 0-0.001% ww | : 0-0.001% ww |
| Appearance | Appearance : clear col. liq. | : clear col. liq. |
| Colour | Colour : 0-10 APHA, Pt-Co | : 0-10 APHA, Pt-Co |

Chemist: Luis Bianchi

Date of release: 29-01-2018

Expires: Jan-2023

CHEM LAB NV

Industriezone "De Arend" 2 B-8210 ZEDELGEM - BELGIUM

Tel.: +32 50 28 83 20 Fax.: +32 50 78 26 54 e-mail : info@chem-lab.be Web : www.chem-lab.be

Analysis

NEAT Standards

Acenaphthene

| | | | |
|---------|--|-------|----------------|
| 83-32-9 | 99.0+% C ₁₂ H ₁₀ | 10 mg | CL46.0101.0010 |
|---------|--|-------|----------------|

Acenaphthylene

| | | | |
|----------|---------------------------------------|-------|----------------|
| 208-96-8 | 99.0+% C ₁₂ H ₈ | 10 mg | CL46.0103.0010 |
|----------|---------------------------------------|-------|----------------|

Acephate

| | | | |
|------------|--|-------|----------------|
| 30560-19-1 | 96.0+% C ₄ H ₁₀ NO ₃ PS | 10 mg | CL46.0104.0010 |
|------------|--|-------|----------------|

Acetochlor

| | | | |
|------------|--|-------|----------------|
| 34256-82-1 | 97.0+% C ₁₄ H ₂₀ ClNO ₂ | 10 mg | CL46.0110.0010 |
|------------|--|-------|----------------|

Acetonitrile (ACN), GC reference standard

NEW

| | | | |
|---------|---------------------------|--------|----------------|
| 75-05-8 | 99.9+% CH ₃ CN | 5 ml | CL46.0140.0005 |
| | | 100 ml | CL46.0140.0100 |

Acrolein

| | | | |
|----------|--|--------|----------------|
| 107-02-8 | 97.0+% C ₃ H ₄ O | 100 mg | CL46.0122.0100 |
|----------|--|--------|----------------|

Alachlor

| | | | |
|------------|--|-------|----------------|
| 15972-60-8 | 97.0+% C ₁₄ H ₂₀ ClNO ₂ | 10 mg | CL46.0170.0010 |
|------------|--|-------|----------------|

Alachlor

| | | | |
|----------|---|-------|----------------|
| 309-00-2 | 97.0+% C ₁₂ H ₈ Cl ₆ | 10 mg | CL46.0171.0010 |
|----------|---|-------|----------------|

Aldicarb

| | | | |
|----------|---|-------|----------------|
| 116-06-3 | 99.0+% C ₇ H ₁₄ N ₂ O ₂ S | 10 mg | CL46.0127.0010 |
|----------|---|-------|----------------|

Aldicarb sulphone

| | | | |
|-----------|---|-------|----------------|
| 1646-88-4 | 99.0+% C ₇ H ₁₄ N ₂ O ₄ S | 10 mg | CL46.0128.0010 |
|-----------|---|-------|----------------|

Aldicarb sulphoxide

| | | | |
|-----------|---|-------|----------------|
| 1646-87-3 | 96.0+% C ₇ H ₁₄ N ₂ O ₃ S | 10 mg | CL46.0129.0010 |
|-----------|---|-------|----------------|

Aniline

| | | | |
|---------|--------------------------------------|--------|----------------|
| 62-53-3 | 99+% C ₆ H ₇ N | 100 mg | CL46.0142.0100 |
|---------|--------------------------------------|--------|----------------|

Arachidic acid

| | | | |
|----------|---|--------|----------------|
| 506-30-9 | 99.0+% C ₂₀ H ₄₀ O ₂ | 100 mg | CL46.0172.0100 |
|----------|---|--------|----------------|

Arachidonic acid

| | | | |
|----------|---|--------|----------------|
| 506-32-1 | 99+% C ₂₀ H ₃₂ O ₂ | 100 mg | CL46.0174.0100 |
|----------|---|--------|----------------|

Atrazine

| | | | |
|-----------|--|--------|----------------|
| 1912-24-9 | 97.0+% C ₈ H ₁₄ ClN ₅ | 100 mg | CL46.0169.0100 |
|-----------|--|--------|----------------|

Atrazine-13C (Ring - 13C3)

| | | | |
|--|--|------|----------------|
| | 97.0+% C ₈ H ₁₄ ClN ₅ | 5 mg | CL46.0154.0005 |
|--|--|------|----------------|

Azinphos-ethyl

| | | | |
|-----------|--|-------|----------------|
| 2642-71-9 | 98.0+% C ₁₂ H ₁₆ N ₃ O ₃ PS ₂ | 10 mg | CL46.0168.0010 |
|-----------|--|-------|----------------|

Azinphos-methyl

| | | | |
|---------|--|-------|----------------|
| 86-50-0 | 99.0+% C ₁₀ H ₁₂ N ₃ O ₃ PS ₂ | 10 mg | CL46.0165.0010 |
|---------|--|-------|----------------|

NEAT Standards

beta-BHC

| | | | |
|----------|--|-------|----------------|
| 319-85-7 | 99.0+% C ₆ H ₆ Cl ₆ | 10 mg | CL46.0237.0010 |
|----------|--|-------|----------------|

gamma-BHC (Lindane)

| | | | |
|---------|--|-----------------|----------------------------------|
| 58-89-9 | 99.0+% C ₆ H ₆ Cl ₆ | 10 mg 100 mg | CL46.0801.0010 CL46.0801.0100 |
|---------|--|-----------------|----------------------------------|

Behenic acid

| | | | |
|----------|---|--------|----------------|
| 112-85-6 | 99.0+% C ₂₂ H ₄₄ O ₂ | 100 mg | CL46.0294.0100 |
|----------|---|--------|----------------|

Bentazone

| | | | |
|------------|--|-------|----------------|
| 25057-89-0 | 99+% C ₁₀ H ₁₂ N ₂ O ₃ S | 10 mg | CL46.0209.0010 |
|------------|--|-------|----------------|

1,2-Benzanthracene

| | | | |
|---------|--|-------|----------------|
| 56-55-3 | 99.0+% C ₁₈ H ₁₂ | 10 mg | CL46.0218.0010 |
|---------|--|-------|----------------|

Benzene

| | | | |
|---------|--------------------------------------|--------|----------------|
| 71-43-2 | 99.9+% C ₆ H ₆ | 100 mg | CL46.0215.0100 |
|---------|--------------------------------------|--------|----------------|

Benzidine

| | | | |
|---------|---|-----------------|----------------------------------|
| 92-87-5 | 99.0+% C ₁₂ H ₁₂ N ₂ | 10 mg 100 mg | CL46.0217.0010 CL46.0217.0100 |
|---------|---|-----------------|----------------------------------|

Benzo(b)fluoranthene

| | | | |
|----------|--|------|----------------|
| 205-99-2 | 99.0+% C ₂₀ H ₁₂ | 5 mg | CL46.0222.0005 |
|----------|--|------|----------------|

Benzo(j)fluoranthene

| | | | |
|----------|--|------|----------------|
| 205-82-3 | 99.0+% C ₂₀ H ₁₂ | 5 mg | CL46.0225.0005 |
|----------|--|------|----------------|

Benzo(k)fluoranthene

| | | | |
|----------|--|------|----------------|
| 207-08-9 | 99.0+% C ₂₀ H ₁₂ | 5 mg | CL46.0223.0005 |
|----------|--|------|----------------|

1,12-Benzoperylene

| | | | |
|----------|--|------|----------------|
| 191-24-2 | 99.0+% C ₂₂ H ₁₂ | 5 mg | CL46.0230.0005 |
|----------|--|------|----------------|

| | | | |
|----------|--|-------|----------------|
| 191-24-2 | 99.0+% C ₂₂ H ₁₂ | 10 mg | CL46.0293.0010 |
|----------|--|-------|----------------|

Benzo(a)pyrene

| | | | |
|---------|--|------|----------------|
| 50-32-8 | 99.0+% C ₂₀ H ₁₂ | 5 mg | CL46.0232.0005 |
|---------|--|------|----------------|

Bromacil

| | | | |
|----------|---|-------|----------------|
| 314-40-9 | 99.0+% C ₉ H ₁₃ BrN ₂ O ₂ | 10 mg | CL46.0249.0010 |
|----------|---|-------|----------------|

Bromodichloromethane

| | | | |
|---------|----------------------------|--------|----------------|
| 75-27-4 | 99.0+% CHBrCl ₂ | 100 mg | CL46.0263.0100 |
|---------|----------------------------|--------|----------------|

Bromoform

| | | | |
|---------|------------------------|--------|----------------|
| 75-25-2 | 99+% CHBr ₃ | 100 mg | CL46.0265.0100 |
|---------|------------------------|--------|----------------|

Butanol-(1), GC reference standard

NEW

| | | | |
|---------|---|----------------|----------------------------------|
| 71-36-3 | 99+% CH ₃ (CH ₂) ₃ OH | 5 ml 100 ml | CL46.0240.0005 CL46.0240.0100 |
|---------|---|----------------|----------------------------------|

Butanol-(tert), GC reference standard

NEW

| | | | |
|---------|---------------------------------------|----------------|----------------------------------|
| 75-65-0 | 99+% C ₄ H ₁₀ O | 5 ml 100 ml | CL46.0241.0005 CL46.0241.0100 |
|---------|---------------------------------------|----------------|----------------------------------|

NEAT Standards

Di-n-butyl phthalate

| | | | |
|---------|---|--------|----------------|
| 84-74-2 | 99.0+% C ₁₆ H ₂₂ O ₄ | 100 mg | CL46.0453.0100 |
|---------|---|--------|----------------|

Butyric acid

| | | | |
|----------|---|--------|----------------|
| 107-92-6 | 99.0+% C ₄ H ₈ O ₂ | 100 mg | CL46.0292.0100 |
|----------|---|--------|----------------|

Captan

| | | | |
|----------|--|-------|----------------|
| 133-06-2 | 99.0+% C ₉ H ₈ Cl ₃ NO ₂ S | 10 mg | CL46.0303.0010 |
|----------|--|-------|----------------|

Carbaryl

| | | | |
|---------|--|-------|----------------|
| 63-25-2 | 99.0+% C ₁₂ H ₁₁ NO ₂ | 10 mg | CL46.0305.0010 |
|---------|--|-------|----------------|

Carbofuran

| | | | |
|-----------|--|-------|----------------|
| 1563-66-2 | 98.0+% C ₁₂ H ₁₅ NO ₃ | 10 mg | CL46.0314.0010 |
|-----------|--|-------|----------------|

Carbofuran-3-hydroxy

| | | | |
|------------|--|------|----------------|
| 16655-82-6 | 99.0+% C ₁₂ H ₁₅ NO ₄ | 5 mg | CL46.0315.0005 |
|------------|--|------|----------------|

Carbon tetrachloride

| | | | |
|--|-------------------------|--------|----------------|
| | 99.9+% CCl ₄ | 100 mg | CL46.0317.0100 |
|--|-------------------------|--------|----------------|

Chlordane (Technical)

| | | | |
|---------|---|-------|----------------|
| 57-74-9 | 98.0+% C ₁₀ H ₆ Cl ₈ | 10 mg | CL46.0329.0010 |
|---------|---|-------|----------------|

Chloroform

| | | | |
|---------|--------------------------|--------|----------------|
| 67-66-3 | 99.0+% CHCl ₃ | 100 mg | CL46.0347.0100 |
|---------|--------------------------|--------|----------------|

Chlorpyrifos

| | | | |
|-----------|--|-------|----------------|
| 2921-88-2 | 99+% C ₉ H ₁₁ Cl ₃ NO ₃ PS | 10 mg | CL46.0376.0010 |
|-----------|--|-------|----------------|

Chlorpyrifos-methyl

| | | | |
|-----------|---|-------|----------------|
| 5598-13-0 | 99.0+% C ₇ H ₇ Cl ₃ NO ₃ PS | 10 mg | CL46.0378.0010 |
|-----------|---|-------|----------------|

Chrysene

| | | | |
|----------|--|-------|----------------|
| 218-01-9 | 99.0+% C ₁₈ H ₁₂ | 10 mg | CL46.0395.0010 |
|----------|--|-------|----------------|

Corticosterone

| | | | |
|---------|---|-------|----------------|
| 50-22-6 | 98.0+% C ₂₁ H ₃₀ O ₄ | 10 mg | CL46.0387.0010 |
|---------|---|-------|----------------|

Cyanazine

| | | | |
|------------|--|-------|----------------|
| 21725-46-2 | 98.0+% C ₉ H ₁₃ CIN ₆ | 10 mg | CL46.0397.0010 |
|------------|--|-------|----------------|

Cyclohexane, GC reference standard

NEW

| | | | |
|----------|-------------------------------------|--------|----------------|
| 110-82-7 | 99+% C ₆ H ₁₂ | 5 ml | CL46.0398.0005 |
| | | 100 ml | CL46.0398.0100 |
| | | 1 l | CL46.0398.1000 |

2,4-D 99%

| | | | |
|---------|---|-------|----------------|
| 94-75-7 | 99+% C ₈ H ₆ Cl ₂ O ₃ | 10 mg | CL46.0401.0010 |
|---------|---|-------|----------------|

2,4-DB

| | | | |
|---------|---|-------|----------------|
| 94-82-6 | 98+% C ₁₀ H ₁₀ Cl ₂ O ₃ | 10 mg | CL46.0407.0010 |
|---------|---|-------|----------------|

4,4'-DDD

| | | | |
|---------|--|-------|----------------|
| 72-54-8 | 95.0+% C ₁₄ H ₁₀ Cl ₄ | 10 mg | CL46.0411.0010 |
|---------|--|-------|----------------|

NEAT Standards

4,4'-DDE

| | | | |
|---------|---|-------|----------------|
| 72-55-9 | 95.0+% C ₁₄ H ₈ Cl ₄ | 10 mg | CL46.0413.0010 |
|---------|---|-------|----------------|

2,4-DDT

| | | | |
|----------|---|-------|----------------|
| 789-02-6 | 95.0+% C ₁₄ H ₉ Cl ₅ | 10 mg | CL46.0416.0010 |
|----------|---|-------|----------------|

4,4'-DDT

| | | | |
|---------|---|-------|----------------|
| 50-29-3 | 95.0+% C ₁₄ H ₉ Cl ₅ | 1 g | CL46.0415.0001 |
| | | 10 mg | CL46.0415.0010 |

n-Decane

| | | | |
|----------|--------------------------------------|--------|----------------|
| 124-18-5 | 99+% C ₁₀ H ₂₂ | 100 mg | CL46.0420.0100 |
|----------|--------------------------------------|--------|----------------|

Deltamethrin

| | | | |
|------------|--|-------|----------------|
| 52918-63-5 | 98.0+% C ₂₂ H ₁₉ Br ₂ NO ₃ | 10 mg | CL46.0426.0010 |
|------------|--|-------|----------------|

Demeton (O+S)

| | | | |
|-----------|--|-------|----------------|
| 8065-48-3 | 92.0+% C ₈ H ₁₉ O ₃ PS ₂ | 10 mg | CL46.0427.0010 |
|-----------|--|-------|----------------|

Diazinon

| | | | |
|----------|---|-------|----------------|
| 333-41-5 | 99.0+% C ₁₂ H ₂₁ N ₂ O ₃ PS | 10 mg | CL46.0436.0010 |
|----------|---|-------|----------------|

1,2-Dibromoethane

| | | | |
|----------|--|--------|----------------|
| 106-93-4 | 99.0+% C ₂ H ₄ Br ₂ | 100 mg | CL46.0447.0100 |
|----------|--|--------|----------------|

Dichlofluanid

| | | | |
|-----------|--|-------|----------------|
| 1085-98-9 | 98.0+% C ₉ H ₁₁ Cl ₂ FN ₂ O ₂ | 10 mg | CL46.0460.0010 |
|-----------|--|-------|----------------|

1,4-Dichlorobenzene

| | | | |
|----------|--|--------|----------------|
| 106-46-7 | 99+% C ₆ H ₄ Cl ₂ | 100 mg | CL46.0474.0100 |
|----------|--|--------|----------------|

1,2-Dichloroethane, GC reference standard

NEW

| | | | |
|----------|--|--------|----------------|
| 107-06-2 | 99.0+% C ₂ H ₄ Cl ₂ | 5 ml | CL46.0482.0005 |
| | | 100 ml | CL46.0482.0100 |

Diiso propylether, GC reference standard

NEW

| | | | |
|----------|---------------------------------------|--------|----------------|
| 108-20-3 | 99+% C ₆ H ₁₄ O | 5 ml | CL46.0940.0005 |
| | | 100 ml | CL46.0940.0100 |

N,N-Dimethylformamide (DMF), GC reference standard

NEW

| | | | |
|---------|---------------------------------------|--------|----------------|
| 68-12-2 | 99+% C ₃ H ₇ NO | 5 ml | CL46.0483.0005 |
| | | 100 ml | CL46.0483.0100 |

1,2:5,6-Dinbenzanthracene

| | | | |
|---------|--|------|----------------|
| 53-70-3 | 99.0+% C ₂₂ H ₁₄ | 5 mg | CL46.0438.0005 |
|---------|--|------|----------------|

1,3-Dinonadecanoin

NEW

| | | | |
|-------------|---|--------|----------------|
| 372490-74-9 | 99+% C ₄₁ H ₈₀ O ₅ | 50 mg | CL47.0497.0050 |
| | | 100 mg | CL47.0497.0100 |

Dioxan-(1,4), GC reference standard

NEW

| | | | |
|----------|---|--------|----------------|
| 123-91-1 | 98.5+% C ₄ H ₈ O ₂ | 5 ml | CL46.0450.0005 |
| | | 100 ml | CL46.0450.0100 |

Eicosapentaenoic acid (EPA)

| | | | |
|-----------|---|--------|----------------|
| 1553-41-9 | 99+% C ₂₀ H ₃₀ O ₂ | 100 mg | CL46.0550.0100 |
|-----------|---|--------|----------------|

NEAT Standards

Endosulfan (alpha and beta)

| | | | |
|----------|---|-------|----------------|
| 115-29-7 | 99+% C ₉ H ₆ Cl ₆ O ₃ S | 10 mg | CL46.0505.0010 |
|----------|---|-------|----------------|

alfa-Endosulfan

| | | | |
|----------|---|-------|----------------|
| 959-98-8 | 99.0+% C ₉ H ₆ Cl ₆ O ₃ S | 10 mg | CL46.0502.0010 |
|----------|---|-------|----------------|

beta-Endosulfan

| | | | |
|------------|---|-------|----------------|
| 33213-65-9 | 95.0+% C ₉ H ₆ Cl ₆ O ₃ S | 10 mg | CL46.0503.0010 |
|------------|---|-------|----------------|

Endrin

| | | | |
|---------|---|-------|----------------|
| 72-20-8 | 99.0+% C ₁₂ H ₈ Cl ₆ O | 10 mg | CL46.0509.0010 |
|---------|---|-------|----------------|

Epichlorhydrin

| | | | |
|----------|--|--------|----------------|
| 106-89-8 | 99.0+% C ₃ H ₅ ClO | 100 mg | CL46.0512.0100 |
|----------|--|--------|----------------|

Esfenvalerate

| | | | |
|------------|--|-------|----------------|
| 66230-04-4 | 97.0+% C ₂₅ H ₂₂ ClNO ₃ | 10 mg | CL46.0517.0010 |
|------------|--|-------|----------------|

Ethanol

| | | | |
|---------|--|--------|----------------|
| 64-17-5 | 99.8+vol% C ₂ H ₅ OH | 100 mg | CL46.0531.0100 |
|---------|--|--------|----------------|

Ethion

| | | | |
|----------|--|-------|----------------|
| 563-12-2 | 98.0+% C ₉ H ₂₂ O ₄ P ₂ S ₄ | 10 mg | CL46.0527.0010 |
|----------|--|-------|----------------|

Ethyl benzene

| | | | |
|----------|-------------------------------------|--------|----------------|
| 100-41-4 | 99+% C ₈ H ₁₀ | 10 ml | CL46.0532.0010 |
| | | 100 mg | CL46.0532.0100 |

Ethyl methyl ketone (MEK), GC reference standard

NEW

| | | | |
|---------|--------------------------------------|--------|----------------|
| 78-93-3 | 95+% C ₄ H ₈ O | 5 ml | CL46.0540.0005 |
| | | 100 ml | CL46.0540.0100 |

3-Ethyltoluene

| | | | |
|----------|-------------------------------------|-------|----------------|
| 620-14-4 | 99+% C ₉ H ₁₂ | 10 mg | CL46.0543.0010 |
|----------|-------------------------------------|-------|----------------|

Fenarimol

| | | | |
|------------|---|-------|----------------|
| 60168-88-9 | 99.0+% C ₁₇ H ₁₂ Cl ₂ N ₂ O | 10 mg | CL46.0605.0010 |
|------------|---|-------|----------------|

Fluoranthene

| | | | |
|----------|--|-------|----------------|
| 206-44-0 | 99.0+% C ₁₆ H ₁₀ | 10 mg | CL46.0640.0010 |
|----------|--|-------|----------------|

Fluorene

| | | | |
|---------|--|-------|----------------|
| 86-73-7 | 99.0+% C ₁₃ H ₁₀ | 10 mg | CL46.0641.0010 |
|---------|--|-------|----------------|

Formothion

| | | | |
|-----------|---|-------|----------------|
| 2540-82-1 | 80.0+% C ₆ H ₁₂ NO ₄ PS ₂ in Xylene | 10 mg | CL46.0655.0010 |
|-----------|---|-------|----------------|

Glycerine

| | | | |
|---------|---|--------|----------------|
| 56-81-5 | 99+% C ₃ H ₈ O ₃ | 100 mg | CL46.0702.0100 |
|---------|---|--------|----------------|

Glyceryl triheptadecanoate

NEW

| | | | |
|-----------|--|--------|----------------|
| 2438-40-6 | 99+% C ₅₄ H ₁₀₄ O ₆ | 1 g | CL46.0710.0001 |
| | | 100 mg | CL46.0710.0100 |

Glyceryl triundecanoate

NEW

| | | | |
|------------|---|--------|----------------|
| 13552-80-2 | 98+% C ₃₆ H ₆₈ O ₆ - Keep at -20°C | 100 mg | CL46.0708.0100 |
|------------|---|--------|----------------|

NEAT Standards

Glyphosate 99%

| | | | |
|-----------|--|-------|----------------|
| 1071-83-6 | 99+% C ₃ H ₈ NO ₅ P | 10 mg | CL46.0703.0010 |
|-----------|--|-------|----------------|

Gondoic acid

| | | | |
|-----------|---|--------|----------------|
| 5561-99-9 | 99.0+% C ₂₀ H ₃₈ O ₂ | 100 mg | CL46.0709.0100 |
|-----------|---|--------|----------------|

HHCB (Galaxolide)

| | | | |
|-----------|--|-------|----------------|
| 1222-05-5 | 80+% C ₁₈ H ₂₆ O | 10 mg | CL46.0837.0010 |
|-----------|--|-------|----------------|

Heptachlor

| | | | |
|---------|---|-------|----------------|
| 76-44-8 | 99.0+% C ₁₀ H ₅ Cl ₇ | 10 mg | CL46.0804.0010 |
|---------|---|-------|----------------|

Heptachlor-epoxide (cis, isomer B)

| | | | |
|-----------|---|------|----------------|
| 1024-57-3 | 99.0+% C ₁₀ H ₅ Cl ₇ O | 5 mg | CL46.0806.0005 |
|-----------|---|------|----------------|

n-Heptadecane

| | | | |
|----------|--------------------------------------|--------|----------------|
| 629-78-7 | 99+% C ₁₇ H ₃₆ | 100 mg | CL46.0808.0100 |
|----------|--------------------------------------|--------|----------------|

Heptane-(n), GC reference standard

NEW

| | | | |
|----------|-------------------------------------|----------------|----------------------------------|
| 142-82-5 | 99+% C ₇ H ₁₆ | 5 ml 100 ml | CL46.0829.0005 CL46.0829.0100 |
|----------|-------------------------------------|----------------|----------------------------------|

Hexachlorobenzene

| | | | |
|----------|---------------------------------------|-------|----------------|
| 118-74-1 | 95.0+% C ₆ Cl ₆ | 10 mg | CL46.0818.0010 |
|----------|---------------------------------------|-------|----------------|

Hexachlorocyclopentadiene

| | | | |
|---------|-------------------------------------|-------|----------------|
| 77-47-4 | 98+% C ₅ Cl ₆ | 10 mg | CL46.0820.0010 |
|---------|-------------------------------------|-------|----------------|

n-Hexadecanol

| | | | |
|------------|--|-----|----------------|
| 36653-82-4 | 99+% C ₁₆ H ₃₄ O | 5 g | CL46.0850.0005 |
|------------|--|-----|----------------|

Hexane-(n), GC reference standard

NEW

| | | | |
|----------|-------------------------------------|----------------|----------------------------------|
| 110-54-3 | 99+% C ₆ H ₁₄ | 5 ml 100 ml | CL46.0828.0005 CL46.0828.0100 |
|----------|-------------------------------------|----------------|----------------------------------|

Imazalil

| | | | |
|------------|---|-------|----------------|
| 35554-44-0 | 99.0+% C ₁₄ H ₁₄ Cl ₂ N ₂ O | 10 mg | CL46.0901.0010 |
|------------|---|-------|----------------|

Imidacloprid

| | | | |
|-------------|---|-------|----------------|
| 138261-41-3 | 99.0+% C ₉ H ₁₀ ClN ₅ O ₂ | 10 mg | CL46.0903.0010 |
|-------------|---|-------|----------------|

Indeno(1,2,3-cd) pyrene

| | | | |
|----------|--|------|----------------|
| 193-39-5 | 99.0+% C ₂₂ H ₁₂ | 5 mg | CL46.0906.0005 |
|----------|--|------|----------------|

Iprodione

| | | | |
|------------|--|-------|----------------|
| 36734-19-7 | 99.0+% C ₁₃ H ₁₃ Cl ₂ N ₃ O ₃ | 10 mg | CL46.0910.0010 |
|------------|--|-------|----------------|

Isofenphos

| | | | |
|------------|---|-------|----------------|
| 25311-71-1 | 98.0+% C ₁₅ H ₂₄ NO ₄ PS | 10 mg | CL46.0917.0010 |
|------------|---|-------|----------------|

Lignoceric acid methyl ester

| | | | |
|-----------|---|--------|----------------|
| 2442-49-1 | 99+% C ₂₅ H ₅₀ O ₂ | 500 mg | CL46.1212.0500 |
|-----------|---|--------|----------------|

Linalool

| | | | |
|---------|--|-----|----------------|
| 78-70-6 | 97+% C ₁₀ H ₁₈ O | 1 g | CL46.1215.0001 |
|---------|--|-----|----------------|

NEAT Standards

Linoleic acid

| | | | |
|---------|-----------------|--------|----------------|
| 60-33-3 | 99.0+% C18H32O2 | 100 mg | CL46.1210.0100 |
|---------|-----------------|--------|----------------|

Linoleic acid methyl ester

| | | | |
|----------|---------------|--------|----------------|
| 112-63-0 | 99+% C19H34O2 | 500 mg | CL46.1213.0500 |
|----------|---------------|--------|----------------|

Linolenic acid

| | | | |
|----------|-----------------|--------|----------------|
| 463-33-3 | 99.0+% C18H30O2 | 100 mg | CL46.1211.0100 |
|----------|-----------------|--------|----------------|

Linolenic acid methyl ester

| | | | |
|----------|---------------|--------|----------------|
| 301-00-8 | 99+% C19H32O2 | 500 mg | CL46.1214.0500 |
|----------|---------------|--------|----------------|

Malathion

| | | | |
|----------|--------------------|-----------------|----------------------------------|
| 121-75-5 | 99.0+% C10H19O6PS2 | 10 mg 100 mg | CL46.1301.0010 CL46.1301.0100 |
|----------|--------------------|-----------------|----------------------------------|

2-Mercaptobenzothiazole zinc salt

| | | | |
|----------|--------------------|--------|----------------|
| 155-04-4 | 99.0+% C14H8N2S4Zn | 100 mg | CL46.1390.0100 |
|----------|--------------------|--------|----------------|

Metalaxyl

| | | | |
|------------|------------------|-------|----------------|
| 57837-19-1 | 99.0+% C15H21NO4 | 10 mg | CL46.1311.0010 |
|------------|------------------|-------|----------------|

Metamitron

| | | | |
|------------|------------------|-------|----------------|
| 41394-05-2 | 98.0+% C10H10N4O | 10 mg | CL46.1312.0010 |
|------------|------------------|-------|----------------|

Methamidophos

| | | | |
|------------|------------------|-------|----------------|
| 10265-92-6 | 98.0+% C2H8NO2PS | 10 mg | CL46.1320.0010 |
|------------|------------------|-------|----------------|

Methanol

| | | | |
|---------|--------------|--------|----------------|
| 67-56-1 | 99.8+% CH3OH | 100 mg | CL46.1321.0100 |
|---------|--------------|--------|----------------|

Methiocarb

| | | | |
|-----------|-------------------|-------|----------------|
| 2032-65-7 | 99.0+% C11H15NO2S | 10 mg | CL46.1325.0010 |
|-----------|-------------------|-------|----------------|

Methomyl

| | | | |
|------------|-------------------|-------|----------------|
| 16752-77-5 | 99.0+% C5H10N2O2S | 10 mg | CL46.1328.0010 |
|------------|-------------------|-------|----------------|

Methoxychlor

| | | | |
|---------|--------------------|-------|----------------|
| 72-43-5 | 98.0+% C16H15Cl3O2 | 10 mg | CL46.1330.0010 |
|---------|--------------------|-------|----------------|

Methyl acrylate

| | | | |
|---------|---------------|--------|----------------|
| 96-33-3 | 99.0+% C4H6O2 | 100 mg | CL46.1331.0100 |
|---------|---------------|--------|----------------|

Methyl arachidate

| | | | |
|-----------|---------------|--------|----------------|
| 1120-28-1 | 99+% C21H42O2 | 500 mg | CL46.0173.0500 |
|-----------|---------------|--------|----------------|

Methyl behenate

| | | | |
|----------|---------------|--------|----------------|
| 929-77-1 | 99+% C23H46O2 | 500 mg | CL46.0295.0500 |
|----------|---------------|--------|----------------|

Methyl cis-11-eicosenoate

| | | | |
|-----------|---------------|--------|----------------|
| 2390-09-2 | 99+% C21H40O2 | 500 mg | CL46.0548.0500 |
|-----------|---------------|--------|----------------|

Methyl erucate

| | | | |
|-----------|---------------|--------|----------------|
| 1120-34-9 | 99+% C23H44O2 | 500 mg | CL46.0549.0500 |
|-----------|---------------|--------|----------------|

NEAT Standards

Methyl heptadecanoate-D33

| | | | |
|--------------|-----------------|-------|----------------|
| 1219804-81-5 | 99+% C18D33H3O2 | 50 mg | CL46.1387.0050 |
|--------------|-----------------|-------|----------------|

Methyl myristate

| | | | |
|----------|---------------|--------|----------------|
| 124-10-7 | 99+% C15H30O2 | 500 mg | CL46.1388.0500 |
|----------|---------------|--------|----------------|

Methyl oleate

| | | | |
|----------|---------------|--------|----------------|
| 112-62-9 | 99+% C19H36O2 | 500 mg | CL46.1522.0500 |
|----------|---------------|--------|----------------|

Methyl palmitate

| | | | |
|----------|---------------|--------|----------------|
| 112-39-0 | 99+% C17H34O2 | 500 mg | CL46.1693.0500 |
|----------|---------------|--------|----------------|

Methyl palmitoleate

| | | | |
|-----------|---------------|--------|----------------|
| 1120-25-8 | 99+% C17H32O2 | 500 mg | CL46.1694.0500 |
|-----------|---------------|--------|----------------|

Methyl stearate

| | | | |
|----------|---------------|--------|----------------|
| 112-61-8 | 99+% C19H38O2 | 500 mg | CL46.1928.0500 |
|----------|---------------|--------|----------------|

Methylheptadecanoate

| | | | |
|-----------|---------------|-------|----------------|
| 1731-92-6 | 99+% C18H36O2 | 10 mg | CL46.1341.0010 |
|-----------|---------------|-------|----------------|

Methyl isobutyl ketone (MIBK), GC reference standard

NEW

| | | | |
|----------|-------------|----------------|----------------------------------|
| 108-10-1 | 99+% C6H12O | 5 ml 100 ml | CL46.1391.0005 CL46.1391.0100 |
|----------|-------------|----------------|----------------------------------|

Methyl tert-butyl ether (MTBE), GC reference standard

NEW

| | | | |
|-----------|-------------|----------------|----------------------------------|
| 1634-04-4 | 99+% C5H12O | 5 ml 100 ml | CL46.1392.0005 CL46.1392.0100 |
|-----------|-------------|----------------|----------------------------------|

1-(3,4-Dichlorophenyl)-3-methylurea

| | | | |
|-----------|-------------------|-------|----------------|
| 3567-62-2 | 97.0+% C8H8Cl2N2O | 10 mg | CL46.0496.0010 |
|-----------|-------------------|-------|----------------|

Microcystin-LR

| | | | |
|-------------|-------------------------------------|--------|----------------|
| 101043-37-2 | 95.0+% C49H74N10O12 - Keep at -20°C | 500 µg | CL46.1385.0500 |
|-------------|-------------------------------------|--------|----------------|

Molinate

| | | | |
|-----------|-----------------|-------|----------------|
| 2212-67-1 | 98.0+% C9H17NOS | 10 mg | CL46.1373.0010 |
|-----------|-----------------|-------|----------------|

Mononadecanoin

NEW

| | | | |
|-------------|---------------|---------------|----------------------------------|
| 112340-30-4 | 99+% C22H44O4 | 1 g 100 mg | CL46.1389.0001 CL46.1389.0100 |
|-------------|---------------|---------------|----------------------------------|

Musk xylene

| | | | |
|---------|-----------------|-----------------|----------------------------------|
| 81-15-2 | 97+% C12H15N3O6 | 10 mg 100 mg | CL46.1384.0010 CL46.1384.0100 |
|---------|-----------------|-----------------|----------------------------------|

Myristic acid

| | | | |
|----------|-----------------|--------|----------------|
| 544-63-8 | 99.0+% C14H28O2 | 100 mg | CL46.1386.0100 |
|----------|-----------------|--------|----------------|

Naphthalene

| | | | |
|---------|------------|-------|----------------|
| 91-20-3 | 99+% C10H8 | 10 mg | CL46.1401.0010 |
|---------|------------|-------|----------------|

Naphthalene-D8

| | | | |
|-----------|------------|-------|----------------|
| 1146-65-2 | 99+% C10D8 | 10 mg | CL46.1402.0010 |
|-----------|------------|-------|----------------|

NEAT Standards

1-Naphthol

| | | | |
|---------|---|--------|----------------|
| 90-15-3 | 99.0+% C ₁₀ H ₈ O | 100 mg | CL46.1403.0100 |
|---------|---|--------|----------------|

N-Nitroso-N-methyl-N-phenylamine

| | | | |
|----------|---|--------|----------------|
| 614-00-6 | 99.0+% C ₇ H ₈ N ₂ O | 100 mg | CL46.1451.0100 |
|----------|---|--------|----------------|

Nonadecane

| | | | |
|----------|--|-----|----------------|
| 629-92-5 | 99.0+% C ₁₉ H ₄₀ | 1 g | CL46.1455.0001 |
|----------|--|-----|----------------|

Nonadecanoic acid methyl ester

| | | | |
|-----------|---|-----|----------------|
| 1731-94-8 | 99.5+% C ₂₀ H ₄₀ O ₂ - Keep at -20°C | 1 g | CL46.1450.0001 |
| | | 5 g | CL46.1450.0005 |
| | | 5 g | CL46.1450.1005 |

4-Nonylphenol-di-ethoxylate

| | | | |
|------------|---|------|----------------|
| 20427-84-3 | 98.0+% C ₁₉ H ₃₂ O ₃ | 5 mg | CL46.1440.0005 |
|------------|---|------|----------------|

4-Nonylphenol-mono-ethoxylate

| | | | |
|----------|---|-------|----------------|
| 104-35-8 | 98.0+% C ₁₉ H ₂₈ O ₂ | 10 mg | CL46.1441.0010 |
|----------|---|-------|----------------|

n-Octadecane

| | | | |
|----------|--------------------------------------|-----|----------------|
| 593-45-3 | 99+% C ₁₈ H ₃₈ | 1 g | CL46.1523.0001 |
|----------|--------------------------------------|-----|----------------|

Octadecyldimethylbenzylammonium chloride

| | | | |
|----------|--|-----|----------------|
| 122-19-0 | 98+% C ₂₇ H ₅₀ CIN | 5 g | CL46.1520.0005 |
|----------|--|-----|----------------|

Oleic acid

| | | | |
|----------|---|--------|----------------|
| 112-80-1 | 99.0+% C ₁₈ H ₃₄ O ₂ | 100 mg | CL46.1521.0100 |
|----------|---|--------|----------------|

Omethoate

| | | | |
|-----------|--|-------|----------------|
| 1113-02-6 | 98.0+% C ₅ H ₁₂ NO ₄ PS | 10 mg | CL46.1510.0010 |
|-----------|--|-------|----------------|

Oxamyl

| | | | |
|------------|---|-------|----------------|
| 23135-22-0 | 99.0+% C ₇ H ₁₃ N ₃ O ₃ S | 10 mg | CL46.1515.0010 |
|------------|---|-------|----------------|

Palmitic acid

| | | | |
|---------|---|--------|----------------|
| 57-10-3 | 99.0+% C ₁₆ H ₃₂ O ₂ | 100 mg | CL46.1691.0100 |
|---------|---|--------|----------------|

Palmitoleic acid

| | | | |
|----------|---|--------|----------------|
| 373-49-9 | 99.0+% C ₁₆ H ₃₀ O ₂ | 100 mg | CL46.1692.0100 |
|----------|---|--------|----------------|

Parathion

| | | | |
|---------|---|--------|----------------|
| 56-38-2 | 95.0+% C ₁₀ H ₁₄ NO ₅ PS | 10 mg | CL46.1604.0010 |
| | | 500 mg | CL46.1604.0500 |

Parathion-ethyl-D10

| | | | |
|-------------|---|------|----------------|
| 350820-04-1 | 99.0+% C ₁₀ H ₄ NO ₅ PSD10 | 5 mg | CL46.1605.0005 |
|-------------|---|------|----------------|

Parathion-methyl

| | | | |
|----------|--|-------|----------------|
| 298-00-0 | 99.0+% C ₈ H ₁₀ NO ₅ PS | 10 mg | CL46.1606.0010 |
|----------|--|-------|----------------|

Penconazole

| | | | |
|------------|---|-------|----------------|
| 66246-88-6 | 99.0+% C ₁₃ H ₁₅ Cl ₂ N ₃ | 10 mg | CL46.1610.0010 |
|------------|---|-------|----------------|

NEAT Standards

Pendimethalin

| | | | |
|------------|-------------------|-------|----------------|
| 40487-42-1 | 99.0+% C13H19N3O4 | 10 mg | CL46.1611.0010 |
|------------|-------------------|-------|----------------|

Pentachlorobenzene 99%

| | | | |
|----------|-------------|--------|----------------|
| 608-93-5 | 99+% C6HCl5 | 100 mg | CL46.1614.0100 |
|----------|-------------|--------|----------------|

Pentachloronitrobenzene

| | | | |
|---------|-----------------|-------|----------------|
| 82-68-8 | 98.0+% C6Cl5NO2 | 10 mg | CL46.1616.0010 |
|---------|-----------------|-------|----------------|

Pentachlorophenol

| | | | |
|---------|--------------|-------|----------------|
| 87-86-5 | 99+% C6HCl5O | 1 g | CL46.1617.0001 |
| | | 10 mg | CL46.1617.0010 |

2,3,4,5,6-Pentachlorotoluene 99%

| | | | |
|----------|--------------|--------|----------------|
| 877-11-2 | 99+% C7H3Cl5 | 100 mg | CL46.1690.0100 |
|----------|--------------|--------|----------------|

Pentane(-n)

| | | | |
|----------|------------|--------|----------------|
| 109-66-0 | 99+% C5H12 | 100 mg | CL46.1623.0100 |
|----------|------------|--------|----------------|

Permethrin (mixed isomers)

| | | | |
|------------|--------------------|-------|----------------|
| 52645-53-1 | 98.0+% C21H20Cl2O3 | 10 mg | CL46.1629.0010 |
|------------|--------------------|-------|----------------|

cis-Permethrin

| | | | |
|------------|------------------|------|----------------|
| 61949-76-6 | 99+% C21H20Cl2O3 | 5 mg | CL46.1627.0005 |
|------------|------------------|------|----------------|

trans-Permethrin

| | | | |
|------------|------------------|------|----------------|
| 61949-77-7 | 99+% C21H20Cl2O3 | 5 mg | CL46.1628.0005 |
|------------|------------------|------|----------------|

Phenanthrene-D10

| | | | |
|-----------|-------------|-------|----------------|
| 1517-22-2 | 99+% C14D10 | 10 mg | CL46.1634.0010 |
|-----------|-------------|-------|----------------|

alpha-Pinene

| | | | |
|---------|-------------|-----|----------------|
| 80-56-8 | 98+% C10H16 | 1 g | CL46.1695.0001 |
|---------|-------------|-----|----------------|

Piperonylbutoxide

| | | | |
|---------|-----------------|-------|----------------|
| 51-03-6 | 98.0+% C19H30O5 | 10 mg | CL46.1696.0010 |
|---------|-----------------|-------|----------------|

Prometryne

| | | | |
|-----------|----------------|-------|----------------|
| 7287-19-6 | 98+% C10H19N5S | 10 mg | CL46.1661.0010 |
|-----------|----------------|-------|----------------|

Propachlor

| | | | |
|-----------|-----------------|-------|----------------|
| 1918-16-7 | 99+% C11H14ClNO | 10 mg | CL46.1662.0010 |
|-----------|-----------------|-------|----------------|

Propanol-1 (n-Propanol), GC reference standard

NEW

| | | | |
|---------|------------|--------|----------------|
| 71-23-8 | 99+% C3H8O | 5 ml | CL46.0941.0005 |
| | | 100 ml | CL46.0941.0100 |

Propanol-2 (iso-Propanol)

| | | | |
|---------|--------------|--------|----------------|
| 67-63-0 | 99.8+% C3H8O | 100 mg | CL46.0922.0100 |
|---------|--------------|--------|----------------|

Propazine

| | | | |
|----------|----------------|-------|----------------|
| 139-40-2 | 98+% C9H16ClN5 | 10 mg | CL46.1665.0010 |
|----------|----------------|-------|----------------|

Propiconazole

| | | | |
|------------|----------------------|-------|----------------|
| 20207-90-1 | 99.0+% C15H17Cl2N3O2 | 10 mg | CL46.1669.0010 |
|------------|----------------------|-------|----------------|

NEAT Standards

Propoxur (Baygon)

| | | | |
|----------|--|-----------------|----------------------------------|
| 114-26-1 | 99.0+% C ₁₁ H ₁₅ NO ₃ | 10 mg 100 mg | CL46.0202.0010 CL46.0202.0100 |
|----------|--|-----------------|----------------------------------|

Propyzamide

| | | | |
|------------|---|-------|----------------|
| 23950-58-5 | 99+% C ₁₂ H ₁₁ Cl ₂ NO | 10 mg | CL46.1676.0010 |
|------------|---|-------|----------------|

Pyriproxyfen

| | | | |
|------------|--|-------|----------------|
| 95737-68-1 | 98+% C ₂₀ H ₁₉ NO ₃ | 10 mg | CL46.1689.0010 |
|------------|--|-------|----------------|

Quinalphos

| | | | |
|------------|---|-------|----------------|
| 13593-03-8 | 99.0+% C ₁₂ H ₁₅ N ₂ O ₃ PS | 10 mg | CL46.1701.0010 |
|------------|---|-------|----------------|

Retinyl palmitate

| | | | |
|---------|---|-----|----------------|
| 79-81-2 | 98.0+% C ₃₆ H ₆₀ O ₂ | 5 g | CL46.1803.0005 |
|---------|---|-----|----------------|

Ronidazole

| | | | |
|-----------|--|--------|----------------|
| 7681-76-7 | 98.0+% C ₆ H ₈ N ₄ O ₄ - Keep at -20°C | 100 mg | CL46.1802.0100 |
|-----------|--|--------|----------------|

Rotenone

| | | | |
|---------|---|-------|----------------|
| 83-79-4 | 98.0+% C ₂₃ H ₂₂ O ₆ | 10 mg | CL46.1801.0010 |
|---------|---|-------|----------------|

Simazine

| | | | |
|----------|--|-------|----------------|
| 122-34-9 | 99.0+% C ₇ H ₁₂ CIN ₅ | 10 mg | CL46.1910.0010 |
|----------|--|-------|----------------|

Simazine D5

| | | | |
|-------------|--|------|----------------|
| 220621-41-0 | 99.0+% C ₇ H ₇ CIN ₅ D ₅ | 5 mg | CL46.1911.0005 |
|-------------|--|------|----------------|

Sonar® (Fluoridone)

| | | | |
|------------|--|-------|----------------|
| 59756-60-4 | 99.0+% C ₁₉ H ₁₄ F ₃ NO | 10 mg | CL46.1914.0010 |
|------------|--|-------|----------------|

Stearic acid

| | | | |
|---------|---|--------|----------------|
| 57-11-4 | 99.0+% C ₁₈ H ₃₆ O ₂ | 100 mg | CL46.1927.0100 |
|---------|---|--------|----------------|

Styrene

| | | | |
|----------|--|-----------------|----------------------------------|
| 100-42-5 | 99+% C ₈ H ₈ - Keep at -20°C | 10 ml 100 mg | CL46.1916.0010 CL46.1916.0100 |
|----------|--|-----------------|----------------------------------|

Sulfaguanidine monohydrate

| | | | |
|-----------|---|-------|----------------|
| 6190-55-2 | 98.0+% C ₇ H ₁₀ N ₄ O ₂ S | 10 mg | CL46.1920.0010 |
|-----------|---|-------|----------------|

Tebuconazole

| | | | |
|-------------|---|-------|----------------|
| 107534-96-3 | 99.0+% C ₁₆ H ₂₂ CIN ₃ O | 10 mg | CL46.2002.0010 |
|-------------|---|-------|----------------|

Tecnazene

| | | | |
|----------|--|-------|----------------|
| 117-18-0 | 99+% C ₆ HCl ₄ NO ₂ | 10 mg | CL46.2006.0010 |
|----------|--|-------|----------------|

Terbutylazine

| | | | |
|-----------|--|-------|----------------|
| 5915-41-3 | 99+% C ₉ H ₁₆ CIN ₅ | 10 mg | CL46.2011.0010 |
|-----------|--|-------|----------------|

4-Terpineol

| | | | |
|------------|--|-----|----------------|
| 20126-76-5 | 95+% C ₁₀ H ₁₈ O | 1 g | CL46.2018.0001 |
|------------|--|-----|----------------|

Tetrachloroethene

| | | | |
|----------|---------------------------------------|--------|----------------|
| 127-18-4 | 99.0+% C ₂ Cl ₄ | 100 mg | CL46.2026.0100 |
|----------|---------------------------------------|--------|----------------|

NEAT Standards

Tetraconazole

| | | | |
|-------------|--|-------|----------------|
| 112281-77-3 | 99.0+% C ₁₃ H ₁₁ Cl ₂ F ₄ N ₃ O | 10 mg | CL46.2033.0010 |
|-------------|--|-------|----------------|

Tetrahydrofuran (THF), GC reference standard

NEW

| | | | |
|----------|--|----------------|----------------------------------|
| 109-99-9 | 99.9+% C ₄ H ₈ O (Stabilised with up to 250 ppm BHT) | 5 ml 100 ml | CL46.2019.0005 CL46.2019.0100 |
|----------|--|----------------|----------------------------------|

Thiabendazole

| | | | |
|----------|--|-------|----------------|
| 148-79-8 | 99.0+% C ₁₀ H ₇ N ₃ S | 10 mg | CL46.2041.0010 |
|----------|--|-------|----------------|

Thymol

| | | | |
|---------|--|-----|----------------|
| 89-83-8 | 99+% C ₁₀ H ₁₄ O | 1 g | CL46.2017.0001 |
|---------|--|-----|----------------|

Toluene-D₈

| | | | |
|-----------|--------------------------------------|-------|----------------|
| 2037-26-5 | 99.0+% C ₇ D ₈ | 10 mg | CL46.2050.0010 |
|-----------|--------------------------------------|-------|----------------|

Tributyl phosphate 99%

| | | | |
|----------|---|-------|----------------|
| 126-73-8 | 99+% C ₁₂ H ₂₇ O ₄ P | 10 mg | CL46.2064.0010 |
|----------|---|-------|----------------|

1,1,1-Trichloroethane

| | | | |
|---------|--|--------|----------------|
| 71-55-6 | 99+% C ₂ H ₃ Cl ₃ | 100 mg | CL46.2076.0100 |
|---------|--|--------|----------------|

Trichloroethylene

| | | | |
|---------|--------------------------------------|--------|----------------|
| 79-01-6 | 99+% C ₂ HCl ₃ | 100 mg | CL46.2078.0100 |
|---------|--------------------------------------|--------|----------------|

2,3,5-Trichlorophenol

| | | | |
|----------|--|-----------------------|--|
| 933-78-8 | 99.0+% C ₆ H ₃ Cl ₃ O | 1 g 10 mg 20 mg | CL46.2084.0001 CL46.2084.0010 CL46.2084.0020 |
|----------|--|-----------------------|--|

Triclopyr

| | | | |
|------------|--|-------|----------------|
| 55335-06-3 | 99+% C ₇ H ₄ Cl ₃ NO ₃ | 10 mg | CL46.2092.0010 |
|------------|--|-------|----------------|

Triflururon

| | | | |
|------------|---|-------|----------------|
| 64628-44-0 | 99.0+% C ₁₅ H ₁₀ ClF ₃ N ₂ O ₃ | 10 mg | CL46.2096.0010 |
|------------|---|-------|----------------|

Trinadecanoic acid

NEW

| | | | |
|------------|---|---------------|----------------------------------|
| 26536-13-0 | 99+% C ₄₁ H ₈₀ O ₅ | 1 g 100 mg | CL47.2016.0001 CL47.2016.0100 |
|------------|---|---------------|----------------------------------|

1-(3,4-Dichlorophenyl)urea

| | | | |
|-----------|---|-------|----------------|
| 2327-02-8 | 99.0+% C ₇ H ₆ Cl ₂ N ₂ O | 10 mg | CL46.0497.0010 |
|-----------|---|-------|----------------|

Vinclozolin

| | | | |
|------------|---|-------|----------------|
| 50471-44-8 | 99+% C ₁₂ H ₉ Cl ₂ N ₃ O ₃ | 10 mg | CL46.2206.0010 |
|------------|---|-------|----------------|

m-Xylene

| | | | |
|----------|-------------------------------------|--------|----------------|
| 108-38-3 | 99+% C ₈ H ₁₀ | 100 mg | CL46.2404.0100 |
|----------|-------------------------------------|--------|----------------|

o-Xylene

| | | | |
|---------|-------------------------------------|-----------------|----------------------------------|
| 95-47-6 | 99+% C ₈ H ₁₀ | 10 ml 100 mg | CL46.2402.0010 CL46.2402.0100 |
|---------|-------------------------------------|-----------------|----------------------------------|

p-Xylene

| | | | |
|----------|-------------------------------------|--------|----------------|
| 106-42-3 | 99+% C ₈ H ₁₀ | 100 mg | CL46.2403.0100 |
|----------|-------------------------------------|--------|----------------|